

DISTRIBUTION BLOWER 3-21-47120-AMP

INSTALL INSTRUCTIONS

Replaces MPNs: 3-21-47120, 80000906, PERP.50246, 5024.6M,
WINS.BLOW



Before Installing

- **ALWAYS** unplug the unit before beginning any work
 - Allow the unit to cool completely if recently used
 - Work in a well-lit area with proper tools
 - Ensure there are no pellets in the hopper assembly
-

Installation Steps

1. Unplug your stove
2. Locate the wiring disconnects and separate the connections for the motor.
 - Access to these motors can be tricky as they are located under the unit itself (see diagrams for reference).
3. Remove the three mounting screws and remove the blower.
 - If you are doing a motor only replacement, remove the squirrel cage blower fan and attach it to the new motor
4. Insert new motor and secure with old hardware.
5. If your blower requires new wire terminals, attach those to the stripped section of wire
6. Connect your wires black to black and white to white
7. Secure the wires from dangling with zip ties

Diagrams



✓ Post-Installation Check

- Verify all connections are secure
 - Ensure all wiring is not in proximity of moving parts
 - Test motor operation before closing panels
 - Check for any unusual noises or vibrations
-

Support

If you encounter any issues during installation, consult your owner's manual or contact technical support via our [contact form](#).