

DRIP TRAY BCA006

INSTALLATION INSTRUCTIONS

Replaces MPNs: PG36-3, BCA006, KIT0786

Before Installing

- **ALWAYS** unplug the unit before beginning any work
 - Allow the unit to cool completely if recently used
 - Work in a well-lit area with proper tools
-

Installation Steps

1. Disconnect Power

- Ensure the unit is completely cooled down and drained of power.
- Unplug the grill from the power source.

2. Access the Unit

- Open the main grill lid.
- Locate the drip tray in the grill. The drip tray is typically mounted inside the burn area under the grill grates.
- Remove the grill grates from the grill's cooking area.
 - In some models, you may need to also remove the broiler pieces to access the drip tray.

3. Remove Old Drip Tray

- Lift the old drip tray out from the grill barrel. The drip tray would typically sit on mounting brackets.
- Inspect the mounting brackets for warpage or damage, the drip tray needs to properly seat into the barrel for optimal grease drainage.

5. Install New Drip Tray

- Insert the new drip tray into the grill barrel, ensure the tray sits flush and even on the mounting brackets.
- The drip tray must be oriented in the same direction as the old drip tray.
- Set a new drip tray liner on the main surface of the drip tray. This will keep the drip tray clean during use.

6.. Connect Power

- Install the removed cooking grates and broiler pieces to the grill.
- Close the main grill lid.
- Plug the grill's power cord into the power source.
- Your new drip tray is installed and ready to use.

Post-Installation Check

- Verify the drip sits flush inside the grill before final assembly
- Ensure the drip tray drains into the drip bucket sufficiently.
- Be careful not to touch the grill while testing or operating, allow the unit to cool completely before making any adjustments.

Support

If you encounter any issues during installation, consult your owner's manual or contact technical support via our contact form.

