

# HEAT BAFFLE BCA1268

## INSTALLATION INSTRUCTIONS

Replaces MPNs: KIT0450, BCA1268

---

### Before Installing

- **ALWAYS** unplug the unit before beginning any work
  - Allow the unit to cool completely if recently used
  - Work in a well-lit area with proper tools
- 

### Installation Steps

#### 1. Disconnect Power

- Ensure the unit is completely cooled down and drained of power.
- Unplug the grill from the power source.

#### 2. Access the Unit

- Open the main grill lid.
- Locate the heat baffle in the grill. The drip tray is typically mounted inside the burn area under the drip tray and over the burn box assembly.
- Remove the grill grates from the grill's cooking area.
  - In some models, you may need to also remove the broiler pieces to access the drip tray.
- Lift the drip tray out from the grill barrel. The drip tray would typically sit on mounting brackets.

#### 3. Remove Old Heat Baffle

- Lift the Heat baffle out from the inside of the grill frame assembly
- Inspect the area for build up and damage, it would be ideal to clean the grill at this time to prevent flare ups during operation.

## 5. Install New Heat Baffle

- Insert the new heat baffle onto the inside of the grill frame assembly.
- Ensure the heat baffle is on the gap in the burner box and centered side to side over the firepot.

## 6.. Connect Power

- Insert the drip tray into the grill barrel, ensure the tray sits flush and even on the mounting brackets, and oriented in the same direction as before.
- Set a new drip tray liner on the main surface of the drip tray. This will keep the drip tray clean during use.
- Install the removed cooking grates and broiler pieces to the grill.
- Close the main grill lid.
- Plug the grill's power cord into the power source.
- Your new drip tray is installed and ready to use.

---

## Post-Installation Check

- Verify the baffle sits flush inside the grill before final assembly
- Ensure the drip tray drains into the drip bucket sufficiently during final installation.
- Be careful not to touch the grill while testing or operating, allow the unit to cool completely before making any adjustments.

---

## Support

If you encounter any issues during installation, consult your owner's manual or contact technical support via our contact form.

