


INSTALLATION INSTRUCTIONS FOR INSTALLING A DECORATIVE LOG SET FOR USE WITH MODEL BELLA™ PELLET STOVE

KIT CONTENTS

- 1 ea. Left Log (item #1)
- 1 ea. Front Log (item #2)
- 1 ea. Right Rear Log (item #3)
- 1 ea. Right Front Log (item #4)
- 1 ea. Log Bracket (item #5)
- 1 ea. Instruction Sheet



TOOLS REQUIRED

Needle Nose Pliers

GENERAL INFORMATION

This optional decorative log set is designed to enhance the aesthetics of your Bella pellet stove.

If you encounter any problems, need clarification of these instructions or are not qualified to properly install this kit, contact your local distributor or dealer.

Read this instruction sheet in its entirety before beginning the installation.

ALL WARNINGS AND PRECAUTIONS IN THE INSTALLATION AND OPERATION MANUAL PROVIDED WITH THE APPLIANCE APPLY TO THESE INSTRUCTIONS.

ALLOW THE STOVE TO COMPLETELY COOL BEFORE PROCEEDING.

LOGS ARE FRAGILE. USE EXTREME CARE WHEN HANDLING OR CLEANING THE LOGS.


DO NOT POSITION THE LOGS IN OTHER WAYS THAN WHAT IS SHOWN HERE. IMPROPER PLACEMENT MAY NEGATIVELY AFFECT THE PROPER COMBUSTION OF FUEL OR BLOCK FEED TUBE.

USE ONLY FACTORY APPROVED LOG SETS IN THIS APPLIANCE.

LOGS GET VERY HOT AND WILL REMAIN HOT FOR AN EXTENDED PERIOD OF TIME AFTER APPLIANCE IS TURNED OFF. HANDLE ONLY WHEN LOGS ARE COOL.

INSTALLATION INSTRUCTIONS

Step 1. Bend the log bracket into the shape, along bend lines, as shown in *Figure 2*.



Step 2. Open the glass door assembly per the instructions in the Installation and Operation manual provided with the appliance. See **Figure 3**.

Step 3. Place the log bracket inside the right ash pot as shown in **Figure 3**.






Figure 3 - Install Log Bracket

Step 4. Place the right rear log as shown in **Figure 4**. Ensure the locating hole on the bottom side of the log is over the locating tab on log bracket. The left side of the log rests between the burn pot and rear firebox wall or rear firebrick panel.



Place hole in log over the locating tab on log bracket

Figure 4 - Install Right Rear Log

Step 5. Place the left log as shown in **Figure 5**. Ensure the left side of the log is placed fully against the left side firebox wall or left side firebrick panel as shown.



Figure 5- Install Left Log

Step 6. Place the right front log as shown in **Figure 6**. Ensure that the front of the log is placed all the way forward and to the right wall of the firebox or right firebrick panel. The rear of the log will rest on the top of the right rear log as shown.



Figure 6- Install Right Front Log

Step 7. Place the front log as shown in **Figure 7**. The back of the log has an indentation that hooks on the front edge of the burn pot




Figure 7- Install Front Log

CARE INSTRUCTIONS

To ensure the longevity of the log assembly, never attempt to handle logs while hot. Use an all-purpose brush to periodically remove fly ash build up from the log assembly.

NOTE: By using the decorative log set, the maintenance frequency for ash removal and cleaning of the glass may need to be increased.

IHP reserves the right to make changes at any time, without notice, in design, materials, specifications, prices and also to discontinue colors, styles and products. Consult your local distributor for fireplace code information.



Printed in U.S.A. © 2010 IHP LLC